


LED REAR LAMP




Blister std pack qty : 40

Bulk std pack qty : 40

Part No.	Voltage	Stop	Tail	D.I.	Reverse	Connection	Spares
							grommet
22018AK-1V	12/24V			✓		Delphi connector	✓
22018RK-1V	12/24V	✓	✓			Delphi connector	✓
22018CK-1V	12/24V				✓	Delphi connector	✓
22018WAK-V	12/24V			✓		bullet terminal	✓
22018WRK-V	12/24V	✓	✓			bullet terminal	✓
22018WCK-V	12/24V				✓	bullet terminal	✓

LED REAR COMBINATION LAMP




55227

Blister std pack qty : 40

Bulk std pack qty : 50

Part No.	Voltage	Stop	Tail	D.I.	Reverse	Connection	Spares grommet	Australian Design Rules	Note
22551WCAK-V	12/24V			✓		180mm fly lead	55227	✓	clear lens
22551WCRK-V	12/24V	✓	✓			180mm fly lead	55227	✓	clear lens
22551WAK-V	12/24V			✓		180mm fly lead	55227	✓	kit
22551WRK-V	12/24V	✓	✓			180mm fly lead	55227	✓	kit
22551WCK-V	12/24V				✓	180mm fly lead	55227	✓	kit

LED 6" OVAL REAR LAMP



Bulk std pack qty : 50

Part No.	Voltage	Stop	Tail	D.I.	Connection	Spares
						grommet
22568AK-1V	12/24V			✓	Delphi connector	✓
22568RK-1V	12/24V	✓	✓		Delphi connector	✓

GloTrac

Innovations that Value your Biz

LED REAR COMBINATION LAMP



55018

- Unique GloTrac design tail lamp.
- Heavy duty wire outlet, for ease of mounting.




Tail lamp in function



Stop lamp in function



Indicator with built-in tail function



Blister std pack qty : 40

Bulk std pack qty : 50

Part No.	Voltage	Stop	Tail	D.I.	Connection	Spares	ADR Approved	IP Rating
						grommet		
22033WCAK-V	12/24V		✓	✓	130mm fly lead	✓	✓	IP67
22033WCRK-V	12/24V	✓	✓		130mm fly lead	✓	✓	IP67
22033WAK-V	12/24V		✓	✓	130mm fly lead	✓	✓	IP67
22033WRK-V	12/24V	✓	✓		130mm fly lead	✓	✓	IP67

GloTrac


Innovations that Value your Biz

LED REAR COMBINATION LAMP



55227

- Unique GloTrac design tail lamp.
- Heavy duty wire outlet, for ease of mounting.




Tail lamp in function



Stop lamp in function



Indicator with built-in tail function



Blister std pack qty : 40


Bulk std pack qty : 50

Part No.	Voltage	Stop	Tail	D.I.	Connection	Spares	ADR Approved	IP Rating	Note
						grommet			
22558WCAK-V	12/24V		✓	✓	130mm fly lead	✓	✓	IP67	clear lens
22558WCRK-V	12/24V	✓	✓		130mm fly lead	✓	✓	IP67	clear lens
22558WAK-V	12/24V		✓	✓	130mm fly lead	✓	✓	IP67	
22558WRK-V	12/24V	✓	✓		130mm fly lead	✓	✓	IP67	

LED REAR COMBINATION LAMP



- Multi-function rear lamp perfectly suits the limited installation space
- Free-form reflector design creates the brilliant look



Blister std pack qty : 24

Bulk std pack qty : 80

Part No.	Voltage	Stop	Tail	D.I.	Reflex	Connection	ECE	ADR Approved	Note	IP Rating
26002AR	12/24V	✓	✓	✓	✓	300mm cable	✓	✓		IP67

LED REAR COMBINATION LAMP





26007ARR-BV



26007ARC-BV



26016AR-BV



Blister std pack qty : 10

Bulk std pack qty : 10


Part No.	Voltage	Stop	Tail	Reverse	D.I.	Reflex	Connection	Mounting	ECE	ADR Approved
26007ARC-BV	12/24V	✓	✓	✓	✓	✓	1000mm cable	horizontal or vertical	✓	✓
26007ARR-BV	12/24V	✓	✓		✓	✓	1000mm cable	horizontal or vertical	✓	✓
26016AR-BV	12/24V	✓	✓		✓	✓	1000mm cable	horizontal or vertical	✓	✓

Spares			
Part No.	Functions	Reflex	W/Hardware
26007AK-V	D.I.		✓
26007RK-V	Stop, Tail	✓	✓
26007CK-V	Reverse		✓

LED REAR COMBINATION LAMP



- Vertical mounting
- Compact designed perfectly for agricultural and industrial application



Blister std pack qty : 40

Bulk std pack qty : 40

Part No.	Voltage	Stop	Tail	Reverse	D.I.	Connection	Mounting	ECE	ADR Approved	IP Rating
26008VARC-V	12/24V	✓	✓	✓	✓	300mm cable	vertical	✓	✓	IP67



LED REAR COMBINATION LAMP



26026RRR-V



26026RR-V



Blister std pack qty : 10

Bulk std pack qty : 10

Part No.	Voltage	Stop	Tail	D.I.	Connection	Mounting	ECE	ADR Approved
26026RRR-V	12/24V	✓	✓	✓	1000mm cable	horizontal or vertical	✓	✓
26026RR-V	12/24V	✓	✓	✓	1000mm cable	horizontal or vertical	✓	✓

Spares			
Part No.	Functions	D.I.	W/Hardware
26026RK-V	Stop, Tail	✓	✓

Glo Trac

Innovations that Value your Biz


LED REAR COMBINATION LAMP



- Increase in tail lamp illumination area, significantly increase safety during night driving.
- High quality, heavy duty construction, for outstanding durability.
- UV stabilized tough polycarbonate lens, ADR Approved & Multi-Voltages.



Tail light in function



Blister std pack qty : 10

Bulk std pack qty : 10

Part No.	Voltage	Stop	Tail	Reverse	D.I.	Reflex	Connection	Mounting	ADR Approved
26035ARR-BV	12/24V	✓	✓		✓	✓	1000mm cable	horizontal	✓

Glo Trac

Innovations that Value your Biz

LED REAR COMBINATION LAMP




Tail lamp in function



function

- Eye catching lamp distribution
- Solid & weatherproof construction
- Available in thin housing & conservative general housing



Blister std pack qty : 20

Bulk std pack qty : 20

Part No.	Voltage	Stop	Tail	D.I.	Reflex	Connection	ECE	ADR Approved	IP Rating
26045-V	12/24V	✓	✓	✓	✓	520mm cable	✓	✓	IP67

Glo Trac

Innovations that Value your Biz

LED REAR COMBINATION LAMP




- Eye catching rear combination lamp
- Highly consistent illuminated surfaces creates attractive and distinctive appearance
- Solid & weatherproof construction



Tail lamp in function



function



Bulk std pack qty : 40

Part No.	Voltage	Tail	Reverse	Connection	ADR Approved	IP Rating
26048-1V	12/24V	✓	✓	500mm cable	✓	IP67

GloTrac

Innovations that Value your Biz

LED REAR COMBINATION LAMP




Tail lamp in function



function

- First rear combo lamps, to introduce latest GloTrac lens design in Australia market.
- Increase in tail lamp illumination area, significantly increase safety during night driving.
- High quality, heavy duty construction, for outstanding durability.
- UV stabilized tough polycarbonate lens, ADR Approved & Multi-Voltages.



Blister std pack qty : 20

Bulk std pack qty : 50

Part No.	Voltage	Stop	Tail	D.I.	Reverse	Bezel	Connection	ADR Approved	IP Rating
26057ARR-V	12/24V	✓	✓	✓		Chrome	520mm cable	✓	IP67
26057ARR-BV	12/24V	✓	✓	✓		Black	520mm cable	✓	IP67
26057ARC-V	12/24V	✓	✓	✓	✓	Chrome	520mm cable	✓	IP67
26057ARC-BV	12/24V	✓	✓	✓	✓	Black	520mm cable	✓	IP67



GloTrac

Innovations that Value your Biz

LED REAR COMBINATION LAMP



- First rear combo lamps, to introduce latest GloTrac lens design in Australia market.
- Increase in tail lamp illumination area, significantly increase safety during night driving.
- High quality, heavy duty construction, for outstanding durability.
- UV stabilized tough polycarbonate lens, ADR Approved & Multi-Voltages.



Blister std pack qty : 10

Bulk std pack qty : 20

Part No.	Voltage	Stop	Tail	D.I.	Reverse	Reflex	Connection	ADR Approved	IP Rating
26058ARR-V	12/24V	✓	✓	✓		✓	1020mm cable	✓	IP67
26058ARC-V	12/24V	✓	✓	✓	✓	✓	1020mm cable	✓	IP67
26058AR-V	12/24V	✓	✓	✓		✓	1020mm cable	✓	IP67

GloTrac

Innovations that Value your Biz

LED REAR COMBINATION LAMP



Tail lamp in function




Stop lamp in function



D.I. lamp in function

- First rear combo lamps, to introduce latest GloTrac lens design in Australia market.
- Increase in tail lamp illumination area, significantly increase safety during night driving.
- High quality, heavy duty construction, for outstanding durability.
- UV stabilized tough polycarbonate lens, ADR Approved & Multi-Voltages.



Blister std pack qty : 40

Bulk std pack qty : 50

Part No.	Voltage	Stop	Tail	D.I.	Connection	ADR Approved	IP Rating
26059-V	12/24V	✓	✓	✓	310mm cable	✓	IP67



Glo Trac

Innovations that Value your Biz

LED REAR COMBINATION LAMP



- The latest Glo Trac design for premium recognition and safety
- Increase in tail lamp illumination area, significantly increase safety during night driving.
- High quality, heavy duty construction, for outstanding durability.




Blister std pack qty : 10

Bulk std pack qty : 20

Part No.	Voltage	Stop	Tail	D.I.	Bezel	Connection	ADR Approved	IP Rating
34013ARR-V	12/24V	✓	✓	✓	Chrome	230mm fly lead	✓	IP67
34013ARR-BV	12/24V	✓	✓	✓	Black	230mm fly lead	✓	IP67

LED REAR LAMP



Blister std pack qty : 40



Bulk std pack qty : 40

Part No.	Voltage	Stop	Tail	D.I.	Reverse	Connection	Spares
							grommet
22018AK-1V	12/24V			✓		Delphi connector	✓
22018RK-1V	12/24V	✓	✓			Delphi connector	✓
22018CK-1V	12/24V				✓	Delphi connector	✓
22018WAK-V	12/24V			✓		bullet terminal	✓
22018WRK-V	12/24V	✓	✓			bullet terminal	✓
22018WCK-V	12/24V				✓	bullet terminal	✓

LED MARKER LAMP



- Electronics completely sealed in epoxy to resist corrosion and moisture



Blister std pack qty : 144

Bulk std pack qty : 200

Part No.	Voltage	LED Color	Lens Color	Side	Front	Rear	Connection	Spares bezel	ADR Approved	IP Rating
22322AK	12V	●	●	✓			130mm fly lead	52322 chrome	✓	IP67
22322RK	12V	●	●			✓	130mm fly lead	52322 chrome	✓	IP67
22322CK	12V	○	○		✓		130mm fly lead	52322 chrome	✓	IP67
22322CAK	12V	●	○	✓			130mm fly lead	52322 chrome	✓	IP67
22322CRK	12V	●	○			✓	130mm fly lead	52322 chrome	✓	IP67

LED MARKER LAMP





22354AK



22354RK



22354CK



Blister std pack qty : 144

Bulk std pack qty : 200

Part No.	Voltage	LED Color	Lens Color	Front	Side	Rear	Bezel	Connection	ADR Approved
22354AK-V	12~24V	●	●		✓		chrome	140mm fly lead	✓
22354RK-V	12~24V	●	●				chrome	140mm fly lead	✓
22354CK-V	12~24V	○	○	✓		✓	chrome	140mm fly lead	✓
22354CAK-V	12~24V	●	○		✓		chrome	140mm fly lead	✓
22354CRK-V	12~24V	●	○			✓	chrome	140mm fly lead	✓



LED MARKER LAMP



22358AK-V



22358RK-V




Blister std pack qty : 100

Bulk std pack qty : 200

Part No.	Voltage	LED Color	Lens Color	Front	Side	Rear	Bracket	Connection	ADR Approved
22358AK-V	12~24V	●	●		✓		chrome	140mm fly lead	✓
22358RK-V	12~24V	●	●				chrome	140mm fly lead	✓
22358CK-V	12~24V	○	○	✓		✓	chrome	140mm fly lead	✓
22358CAK-V	12~24V	●	○		✓		chrome	140mm fly lead	✓
22358CRK-V	12~24V	●	○			✓	chrome	140mm fly lead	✓

LED REAR COMBINATION LAMP



55227

Blister std pack qty : 40

Bulk std pack qty : 50

Part No.	Voltage	Stop	Tail	D.I.	Reverse	Connection	Spares grommet	Australian Design Rules	Note
22551WCAK-V	12/24V			✓		180mm fly lead	55227	✓	clear lens
22551WCRK-V	12/24V	✓	✓			180mm fly lead	55227	✓	clear lens
22551WAK-V	12/24V			✓		180mm fly lead	55227	✓	kit
22551WRK-V	12/24V	✓	✓			180mm fly lead	55227	✓	kit
22551WCK-V	12/24V				✓	180mm fly lead	55227	✓	kit


GloTrac

Innovations that Value your Biz

LED REAR COMBINATION LAMP



- Unique GloTrac design tail lamp.
- Heavy duty wire outlet, for ease of mounting.




Tail lamp in function



Stop lamp in function



Indicator with built-in tail function







Blister std pack qty : 40

Bulk std pack qty : 50

Part No.	Voltage	Stop	Tail	D.I.	Connection	Spares	ADR Approved	IP Rating
						grommet		
22033WCAK-V	12/24V		✓	✓	130mm fly lead	✓	✓	IP67
22033WCRK-V	12/24V	✓	✓		130mm fly lead	✓	✓	IP67
22033WAK-V	12/24V		✓	✓	130mm fly lead	✓	✓	IP67
22033WRK-V	12/24V	✓	✓		130mm fly lead	✓	✓	IP67

LED DOUBLE FACE FRONT INDICATOR LAMP



Blister std pack qty : 20



Bulk std pack qty : 20

Part No.	Voltage	LED Color	Lens Color	D.I.	Side	Reflex	Studs	Connection	ADR Approved
22941AA	12V	●	●	✓	✓	✓	1	145mm fly lead	✓
22941CAA	12V	●	○	✓	✓	✓	1	145mm fly lead	✓
22941VAA	12V	●	●	✓	✓	✓	2	170mm fly lead	✓
22941VCAA	12V	●	○	✓	✓	✓	2	170mm fly lead	✓

LED REAR COMBINATION LAMP



- Polycarbonate lens and ABS bracket
- With chrome or black bracket
- For horizontal mounting only
- 5-year warranty



Blister std pack qty : 10



Bulk std pack qty : 20

Part No.	Voltage	Stop	Tail	D.I.	Bezel	Connection	ADR Approved
26052ARR	12V	✓	✓	✓	chrome	350mm fly lead	✓
26052ARR-B	12V	✓	✓	✓	black	350mm fly lead	✓

LED REAR COMBINATION LAMP



- Multiple functions: stop/rear position, rear indicator and reversing
- Polycarbonate lens ultrasonic sealed to housing
- Available in chrome or black bracket
- Voltage: 12/24V
- 5-year warranty



Blister std pack qty : 10


Bulk std pack qty : 20

Part No.	Voltage	Stop	Tail	D.I.	Reverse	Bezel	Connection	ADR Approved	Note
26053ARR-BV	12/24V	✓	✓	✓		black	250mm fly lead	✓	
26053CARC-V	12/24V	✓	✓	✓	✓	chrome	250mm fly lead		clear lens

LED REAR LAMP



- SMD LED technology
- Fully sealed polycarbonate lens
- Surface mount ultra low profile rear lamps
- Including decorative polished stainless steel bezel



Blister std pack qty : 100


Bulk std pack qty : 100

Part No.	Voltage	Stop	Tail	D.I.	Reverse	Connection	Note	Australian Design Rules
26154AK-V	12/24V			✓		190mm fly lead		✓
26154RK-V	12/24V	✓	✓			190mm fly lead		✓
26154CK-V	12/24V				✓	190mm fly lead		✓
26154CAK-V	12/24V			✓		190mm fly lead	clear lens	✓
26154CRK-V	12/24V	✓				190mm fly lead	clear lens	✓

LED REAR LAMP



- SMD LED technology
- Fully sealed polycarbonate lens
- Surface mount ultra low profile rear lamps
- Including decorative polished stainless steel bezel



Blister std pack qty : 100

Bulk std pack qty : 100

Part No.	Voltage	Stop	Tail	D.I.	Reverse	Connection	Note	Australian Design Rules
26154AK-V	12/24V			✓		190mm fly lead		✓
26154RK-V	12/24V	✓	✓			190mm fly lead		✓
26154CK-V	12/24V				✓	190mm fly lead		✓
26154CAK-V	12/24V			✓		190mm fly lead	clear lens	✓
26154CRK-V	12/24V	✓				190mm fly lead	clear lens	✓

LED MARKER LAMP



26265AK-BV



26265CK-BV






26265RK-BV



26265AAK-BV

- Surface mounting ultra low profile marker lamp




Blister std pack qty : 100

Bulk std pack qty : 200

Part No.	Voltage	LED Color	Lens Color	Front	Side	Side Indicator	Rear	Connection	Spares bracket	ADR Approved
26265AK-BV	12~24V	●	●		✓			130mm cable	67265NB black	✓
26265RK-BV	12~24V	●	●				✓	130mm cable	67265NB black	✓
26265CK-BV	12~24V	○	○	✓				130mm cable	67265NB black	✓
26265CAK-BV	12~24V	●	○		✓			130mm cable	67265NB black	✓
26265CRK-BV	12~24V	●	○				✓	130mm cable	67265NB black	✓
26265AAK-BV	12~24V	●	●			✓		130mm cable	67265NB black	✓
26265CAAK-BV	12~24V	●	○			✓		130mm cable	67265NB black	✓
26265CARK-BV	12~24V	● ●	○		✓			130mm cable	67265NB black	✓

HIGH MOUNT, CENTRE STOP LAMP



Bulk std pack qty : 100

Part No.	Voltage	3rd Brake	Connection	Bezel	ADR Approved
32009S3RK-B	12V	✓	180 mm fly lead	black	✓




LED REAR COMBINATION LAMP



34005



34001



Blister std pack qty : 10

Bulk std pack qty : 10



Part No.	Handed	Voltage	Stop	Tail	D.I.	Reverse	Connection	Australian Design Rules
34001-BV	RH&LH	12/24V	✓	✓	✓		1050mm cable	✓
34005-BV	RH&LH	12/24V	✓	✓	✓	✓	1050mm cable	✓

Spares		
Part No.	Voltage	Functions
22018WA-V	12/24V	D.I.
22018WR-V	12/24V	Stop, Tail
22018WC-V	12/24V	Reverse

LED LIGHT ASSIST HANDLE BAR



- Modern, quality strong finish handle bar with built-in LED lamp
- Additional LED lamp illumination downwards of handle bar
- High quality water proof rocker switch for friendly operation



Std pack qty: 20

Part No.	Voltage	9 SMD High Power LEDs			Bezel	Connection	IP Rating	Resistant				
		watt	lumen	HV CD				water	dust	shock	warpage	temperature
22768C-V	12/24V	4	180	46	chrome	320mm fly lead	IP67	✓	✓	✓	✓	-30°C~50°C
22768C-WV	12/24V	4	180	46	white	320mm fly lead	IP67	✓	✓	✓	✓	

Glo Trac

Innovations that Value your Biz

LED MARKER LAMP

- Traditional design meeting latest fashion
- Soft, uniform light distribution
- High quality chromed bezel






22372AK-V



22372RK-V



22372CK-V



Blister std pack qty : 100

Bulk std pack qty : 100

Part No.	Voltage	LED Color	Lens Color	Front	Side	Rear	Spare Bezel	Connection	ADR Approved	IP Rating
22372AK-V	12/24V	●	●		✓		chrome	140mm fly lead	✓	IP67
22372RK-V	12/24V	●	●			✓	chrome	140mm fly lead	✓	IP67
22372CK-V	12/24V	○	○	✓			chrome	140mm fly lead	✓	IP67
22372CAK-V	12/24V	●	○		✓		chrome	140mm fly lead	✓	IP67
22372CRK-V	12/24V	●	○			✓	chrome	140mm fly lead	✓	IP67

Glo Trace

Innovations that Value your Biz

LED FRONT INDICATOR LAMP





side in function



D.I. in function

- Stylish, better recognition and better safety
- Highly consistent illuminated surface
creates attractive & distinctive appearance
- Solid & weatherproof construction



Blister std pack qty : 20

Bulk std pack qty : 20

Part No.	Voltage	LED Color	Lens Color	D.I.	Side	Reflex	Studs	Connection	ADR Approved
22947AA-V	12V/24V	●	●	✓	✓	✓	1	120mm fly lead	✓
22947CAA-V	12V/24V	●	○	✓	✓	✓	1	120mm fly lead	✓
22947VAA-V	12V/24V	●	●	✓	✓	✓	2	145mm fly lead	✓
22947VCAA-V	12V/24V	●	○	✓	✓	✓	2	145mm fly lead	✓

Glo Trac

Innovations that Value your Biz

LED MARKER LAMP




- Traditional design meeting latest fashion
- Soft, uniform light distribution
- High quality chromed bracket



26275AK-V





26275RK-V



26275CK-V



26275CARK-V





Blister std pack qty : 144

Bulk std pack qty : 200

Part No.	Voltage	LED Color	Lens Color	Front	Side	Rear	Side Indicator	Spare bracket	Connection	ADR Approved	IP Rating
26275AK-V	12~24V	●	●		✓		✓	chrome	150mm cable	✓	IP67
26275RK-V	12~24V	●	●			✓		chrome	150mm cable	✓	IP67
26275CK-V	12~24V	○	○	✓				chrome	150mm cable	✓	IP67
26275CAK-V	12~24V	●	○		✓		✓	chrome	150mm cable	✓	IP67
26275CRK-V	12~24V	●	○			✓		chrome	150mm cable	✓	IP67
26275CARK-V	12~24V	●	○		✓			chrome	150mm cable	✓	IP67

LED INTERIOR LAMP

- Cutting edge SMD LED
- Superior wider brightness output
- Switch version available





Blister std pack qty : 100

Bulk std pack qty : 100

Part No.	Voltage	SMD LEDs	Lumen	HV CD	End Cap	Connection	IP Rating	Resistant				
								water	dust	shock	warpage	temperature
22776CK-WV	12/24V	18	1050	130	white	100mm fly lead	IP67	✓	✓			-30°C~50°C




LED MARKER LAMP



Blister std pack qty : 10

Part No.	Voltage	LED Color	Lens Color	Connection	Housing	ADR Approved
22075NAK-1V	12~24V	●	●	190mm fly lead	chrome	✓
22075NCAK-1V	12~24V	●	○	190mm fly lead	chrome	✓
22075NCK-1V	12~24V	○	○	190mm fly lead	chrome	

NUMBER PLATE LAMP








Blister std pack qty : 100

Bulk std pack qty : 200

Part No.	Voltage	Connection	ADR Approved	IP Rating
26271CK-G	12~24V	120 mm cable	✓	IP67


LED MARKER LAMP



Part No.	Voltage	LED color	lens color	Front	Side	Side Indicator	Rear	Connection	Spares	ADR Approved
									black bracket	
26272CAA-V	12~24V	●	○			✓		2.5M cable	✓	✓
26272CAR-V	12~24V	●●	○		✓			2.5M cable	✓	✓
26272CA-V	12~24V	●	○		✓			5M cable	✓	✓
26272CR-V	12~24V	●	○				✓	5M cable	✓	✓
26272C-V	12~24V	○	○	✓				5M cable	✓	✓

Part No.	Voltage	LED color	lens color	Front	Side	Side Indicator	Rear	Connection	Spares	ADR Approved
									black bracket	
26272PCAA-V	12~24V	●	○			✓		Delphi connector	✓	✓
26272PCAR-V	12~24V	●●	○		✓			Delphi connector	✓	✓
26272PCAAR-V	12~24V	●●	○		✓	✓		Delphi connector	✓	✓
26272PCA-V	12~24V	●	○		✓			Delphi connector	✓	✓
26272PCR-V	12~24V	●	○				✓	Delphi connector	✓	✓
26272PC-V	12~24V	○	○	✓				Delphi connector	✓	✓

NUMBER PLATE LAMP





Blister std pack qty : 50

Bulk std pack qty : 200

Part No.	Voltage	Connection	ADR Approved	IP Rating
26800-BV	12~24V	500mm cable	✓	IP67

REFLEX REFLECTORS



Bulk std pack qty : 600

Part No.	Color	Adhesive	ECE	Australian Design Rules
47001A	●	✓	✓	✓
47001R	●	✓	✓	✓
47001C	○	✓	✓	✓

LED AWNING LAMP






22763CK-WV



22769CK-WV

- Stylish 45° awning lamp
- Design to fit leisure vehicles
- Uniquely designed rain water channel to avoid top water accumulation



22763CK-WV Bulk std pack qty : 50
22769CK-W Bulk std pack qty : 100

Part No.	Voltage	SMD LEDs	Raw Lumen	Effective Lumen	HV CD	Bezel	Connection	IP Rating	Resistant				
									water	dust	shock	warpage	temperature
22763CK-WV	12/24V	18	1197	603	160	white	100mm fly lead	IP67	✓	✓	✓	✓	-30°C~50°C
22769CK-WV	12/24V	9	598	300	60	white	100mm fly lead	IP67					


Glo Trac

Innovations that Value your Biz

LED MARKER LAMP



- Traditional design meeting latest fashion.
- Soft, uniform light distribution.
- High quality chromed bracket/ bezel.



Blister std pack qty : 100

Bulk std pack qty : 200

Part No.	Voltage	LED Color	Lens Color	Front	Side	Rear	Spare Bezel	Connection	ADR Approved	IP Rating
22374AK-V	12/24V	●	●		✓		chrome	140mm fly lead	✓	IP67
22374RK-V	12/24V	●	●			✓	chrome	140mm fly lead	✓	IP67
22374CK-V	12/24V	○	○	✓			chrome	140mm fly lead	✓	IP67
22374CAK-V	12/24V	●	○		✓		chrome	140mm fly lead	✓	IP67
22374CRK-V	12/24V	●	○			✓	chrome	140mm fly lead	✓	IP67


Glo Trac

Innovations that Value your Biz

LED MARKER LAMP



- Traditional design meeting latest fashion.
- Soft, uniform light distribution.
- High quality chromed bracket/ bezel.



Blister std pack qty : 144

Bulk std pack qty : 250

Part No.	Voltage	LED Color	Lens Color	Front	Side	Rear	Spare Bezel	Connection	ADR Approved	IP Rating
22375AK-V	12/24V	Yellow	Yellow		✓		chrome	140mm fly lead	✓	IP67
22375RK-V	12/24V	Red	Red			✓	chrome	140mm fly lead	✓	IP67
22375CK-V	12/24V	White	White	✓			chrome	140mm fly lead	✓	IP67
22375CAK-V	12/24V	Yellow	White		✓		chrome	140mm fly lead	✓	IP67
22375CRK-V	12/24V	Red	White			✓	chrome	140mm fly lead	✓	IP67



Glo Trac

Innovations that Value your Biz

LED MARKER LAMP



- Glo light unique design illumination
- Cutting-edge SMT
- Air tight provides better waterproof
- Light kit with chrome housing and mounting pad



Blister std pack qty : 10

Bulk std pack qty : 30

Part No.	Voltage	LED Color	Lens Color	Connection	Housing	ADR Approved
22407AK-V	12~24V	●	●	190mm fly lead	chrome	✓
22407CAK-V	12~24V	●	○	190mm fly lead	chrome	✓
22407CK-V	12~24V	○	○	190mm fly lead	chrome	


Glo Trac

Innovations that Value your Biz

LED REAR COMBINATION LAMP





- The latest Glo Trac design for premium recognition and safety
- Increase in tail lamp illumination area, significantly increase safety during night driving.
- High quality, heavy duty construction, for outstanding durability.



Tail light in function



26042AR-V in function



Blister std pack qty : 24



Bulk std pack qty : 80

Part No.	Voltage	Stop	Tail	D.I.	Reflex	Connection	ECE	Australian Design Rules	IP Rating
26042AR-V	12/24V	✓	✓	✓	✓	300mm cable	✓	✓	IP67

LED INTERIOR LAMP



- Ultra slim profile
- Superior brightness output



Blister std pack qty : 40



Bulk std pack qty : 50

Part No.	Voltage	SMD LEDs	Raw Lumen	Effective Lumen	HV CD	Bezel	Connection	IP Rating	Resistant				
									water	dust	shock	warpage	temperature
22781CK-WV	12~24V	39	2594	1308	230	white	fly lead 200mm	IP67	✓	✓	✓	✓	-30°C~50°C

LED INTERIOR LAMP



- Ultra slim profile
- Surface mounting design



Blister std pack qty : 200



Bulk std pack qty : 100

Part No.	Voltage	SMD LEDs	Raw Lumen	Effective Lumen	HV CD	Bezel	Connection	IP Rating	Resistant				
									water	dust	shock	warpage	temperature
22784CK-V	12/24V	10	665	323	92	chrome	100mm fly lead	IP67	✓	✓	✓	✓	-30°C~50°C

LED INTERIOR LAMP



- Stylish streamline design fits limited mounting area
- Superior brightness output
- Switch version available





Blister std pack qty : 100

Bulk std pack qty : 100

Part No.	Voltage	SMD LEDs	Raw Lumen	Effective Lumen	HV CD	Switch	Bezel	Connection	IP Rating	Resistant				
										water	dust	shock	warpage	temperature
22785CKS-WV	12/24V	9	598	300	60	✓	white	100mm fly lead	IP67	✓	✓	✓	✓	-30°C~50°C

LED MARKER LAMP





Blister std pack qty : 144

Bulk std pack qty : 200

Part No.	Voltage	LED Color	Lens Color	Front	Side	Side Indicator	Rear	Connection	Spares bracket	Australian Design Rules
22336WAK-V	12~24V	●	●		✓			150mm fly lead	52336 chrome	✓
22336WRK-V	12~24V	●	●				✓	150mm fly lead	52336 chrome	✓
22336WCK-V	12~24V	○	○	✓				150mm fly lead	52336 chrome	✓
22336WCAK-V	12~24V	●	○		✓			150mm fly lead	52336 chrome	✓
22336WCRK-V	12~24V	●	○				✓	150mm fly lead	52336 chrome	✓
22336WCAAK-V	12~24V	●	○			✓		150mm fly lead	52336 chrome	✓
22336WCARK-V	12~24V	● ●	○		✓			150mm fly lead	52336 chrome	✓

LED MARKER LAMP





Blister std pack qty : 100

Bulk std pack qty : 200

Part No.	Voltage	LED Color	Lens Color	Side	Front	Rear	Connection	Spares bezel	ADR Approved	IP Rating
22339AK	12/24V	●	●	✓			130mm fly lead	chrome	✓	IP67
22339RK	12/24V	●	●			✓	130mm fly lead	chrome	✓	IP67
22339CK	12/24V	○	○		✓		130mm fly lead	chrome	✓	IP67
22339CAK	12/24V	●	○	✓			130mm fly lead	chrome	✓	IP67
22339CRK	12/24V	●	○			✓	130mm fly lead	chrome	✓	IP67
22339CARK	12/24V	●●	○	✓			130mm fly lead	chrome	✓	IP67

LED MARKER LAMP




Blister std pack qty : 144

Bulk std pack qty : 200

Part No.	Voltage	LED Color	Lens Color	Side	Front	Rear	Connection	Spares bezel	ADR Approved	IP Rating
22340AK	12/24V	●	●	✓			130mm fly lead	chrome	✓	IP67
22340RK	12/24V	●	●			✓	130mm fly lead	chrome	✓	IP67
22340CK	12/24V	○	○		✓		130mm fly lead	chrome	✓	IP67
22340CAK	12/24V	●	○	✓			130mm fly lead	chrome	✓	IP67
22340CRK	12/24V	●	○			✓	130mm fly lead	chrome	✓	IP67
22340CARK	12/24V	●●	○	✓			130mm fly lead	chrome	✓	IP67

LED MARKER LAMP





Blister std pack qty : 100

Bulk std pack qty : 100

Part No.	Voltage	LED Color	Lens Color	Front	Side	Rear	Connection	Australian Design Rules	IP Rating
22348AK-V	12/24V	●	●		✓		150mm fly lead	✓	IP67
22348RK-V	12/24V	●	●			✓	150mm fly lead	✓	IP67
22348CK-V	12/24V	○	○	✓			150mm fly lead	✓	IP67
22348CAK-V	12/24V	●	○		✓		150mm fly lead	✓	IP67
22348CRK-V	12/24V	●	○			✓	150mm fly lead	✓	IP67

LED CAB MARKER LAMP



Blister std pack qty : 40

Bulk std pack qty : 50

Part No.	Voltage	LED Color	Lens Color	Connection	Australian Design Rules
22403A-V	12~24V	●	●	190mm fly lead	✓
22403AK-V	12~24V	●	●	190mm fly lead	✓
22403CAK-V	12~24V	●	○	190mm fly lead	✓



LED CAB MARKER LAMP



22404C-V



22404A-V




Blister std pack qty : 100

Part No.	Voltage	LED Color	Lens Color	Connection	Australian Design Rules
22404A-V	12~24V	●	●	190mm fly lead	✓
22404C-V	12~24V	○	○	190mm fly lead	
22404CA-V	12~24V	●	○	190mm fly lead	✓

LED MARKER LAMP



- Multi-reflective design providing brilliant and attractive look




Blister std pack qty : 200

Bulk std pack qty : 200

Part No.	Voltage	LED Color	Lens Color	Front	Side	Rear	grommet	plug	Connection	Australian Design Rules
22519AK-V	12~24V	●	●		✓		55208-1	53875	plug terminal	✓
22519RK-V	12~24V	●	●			✓	55208-1	53875	plug terminal	✓
22519CK-V	12~24V	○	○	✓			55208-1	53875	plug terminal	✓
22519CAK-V	12~24V	●	○		✓		55208-1	53875	plug terminal	✓
22519CRK-V	12~24V	●	○			✓	55208-1	53875	plug terminal	✓

LED MARKER LAMP



Blister std pack qty : 144



Bulk std pack qty : 250

Part No.	Voltage	LED Color	Lens Color	Front	Side	Rear	Connection	Australian Design Rules
26259CA-BV	12~24V	Yellow	Clear		✓		170mm cable	✓
26259CR-BV	12~24V	Red	Clear			✓	170mm cable	✓
26259C-BV	12~24V	Clear	Clear	✓			170mm cable	✓
26259CAR-BV	12~24V	Red, Yellow	Clear		✓		170mm cable	✓

LED MARKER LAMP



- Surface mounting ultra low profile marker lamp
- With elegant polished stainless steel bezel




Blister std pack qty : 144


Bulk std pack qty : 200

Part No.	Voltage	LED Color	Lens Color	Front	Side	Rear	Connection	Australian Design Rules	IP Rating
26260AK-V	12~24V	●	●		✓		140mm cable	✓	IP67
26260RK-V	12~24V	●	●			✓	140mm cable	✓	IP67
26260CK-V	12~24V	○	○	✓			140mm cable	✓	IP67
26260CAK-V	12~24V	●	○		✓		140mm cable	✓	IP67
26260CRK-V	12~24V	●	○			✓	140mm cable	✓	IP67
26260CARK-V	12~24V	● ●	○		✓		140mm cable	✓	IP67

LED MARKER LAMP



- Surface mounting ultra low profile marker lamp
- With elegant polished stainless steel bezel




Blister std pack qty : 100


Bulk std pack qty : 100

Part No.	Voltage	LED Color	Lens Color	Front	Side	Rear	Connection	Australian Design Rules	IP Rating
26264AK-V	12~24V	●	●		✓		140mm cable	✓	IP67
26264RK-V	12~24V	●	●			✓	140mm cable	✓	IP67
26264CK-V	12~24V	○	○	✓			140mm cable	✓	IP67
26264CAK-V	12~24V	●	○		✓		140mm cable	✓	IP67
26264CRK-V	12~24V	●	○			✓	140mm cable	✓	IP67

LED MARKER LAMP



- Surface mounting
- Ultra low profile design
- With elegant chrome plated bezel



Blister std pack qty : 144

Bulk std pack qty : 200

Part No.	Voltage	LED Color	Lens Color	Front	Side	Rear	Connection	Australian Design Rules	IP Rating
26271A-V	12~24V	●	●		✓		140mm cable	✓	IP67
26271R-V	12~24V	●	●			✓	140mm cable	✓	IP67
26271C-V	12~24V	○	○	✓			140mm cable	✓	IP67
26271CA-V	12~24V	●	○		✓		140mm cable	✓	IP67
26271CR-V	12~24V	●	○			✓	140mm cable	✓	IP67

12V OMP Plug-in Socket Kit

- Save hours in future replacement
- Compatible with all current 12V plugs
- Socket replacement requires no electrical knowledge
- Harness can be adapted to operate multiple sockets front and or rear
- Colour coded for easy replacement
- Water proof silicone seal included

IMPROVE PRODUCTIVITY

REDUCE MAINTENANCE


EASY TO INSTALL



Specifications:

PART NO:	3370090
WARANTY:	1 Year
CABLE:	6mm cable (5.22mm ²)
SOCKET:	Diecast housing
ADR APPROVED:	Yes

MOUNTING INFORMATION



12V Kit includes:

1 x OMP Heavy Duty 12 Volt socket
1 x Rubber boot
1 x OMP Harness
Adhesive heat shrink tube

24V OMP Plug-in Socket Kit

- Save hours in future replacement
- Compatible with all current 24V plugs
- Socket replacement requires no electrical knowledge
- Harness can be adapted to operate multiple sockets front and or rear
- Colour coded for easy replacement
- Water proof silicone seal included

IMPROVE PRODUCTIVITY

REDUCE MAINTENANCE


EASY TO INSTALL



Specifications:

PART NO:	3370091
WARANTY:	1 Year
CABLE:	6mm cable (5.22mm ²)
SOCKET:	Diecast housing
ADR APPROVED:	Yes

MOUNTING INFORMATION



24V Kit includes:

1 x OMP Heavy Duty 24 Volt socket
1 x Rubber boot
1 x OMP Harness
Adhesive heat shrink tube

Load Resistor

- Designed to draw the same amperage as a 21 watt globe bulb
- Can be used on vehicles that have electronic components that are not LED compatible



INSTRUCTION:

INDICATOR CIRCUIT

If fitting to the Indicator circuit, fit one lead of the resistor to the positive supply side and the other lead of the resistor to the Negative supply or Ground Input Wire

BRAKE CIRCUIT

If fitting to the Brake circuit, fit one lead of the resistor to the positive supply side and the other lead of the resistor to the Negative supply or Ground Input Wire

Blister std pack qty : 144

Part No.	Voltage	Specifications	Dimension
56017-1	24V	50W 24Ω 1A	50 X 15 X 15 mm

LED Combination Driving Lamp

- Innovative lamp consists of 3 functions
 - Driving lamp
 - Front position lamp
 - Daytime running lamp
- Free-form reflector design creates brilliant look
- Function of driving lamp is designed for long-range illumination, providing improved visibility of objects and traffic situations at night as off-road auxiliary lamp



Driving lamp





DRL



Front position



Back view



4-Way Connection Diagram



Pin No.	Function
1	Driving lamp
2	Front position
3	Daytime running lamp
4	Ground

Part No.	Voltage	Driving lamp	Pencil Beam	21 high power LEDs			Current Draw	Front position	DRL	Australia Design Rules
				Watt	Lumen	HV CD				
22830	12~36V	✓	✓	63.5W	4200	57000	13.5V at 4.7A 28.0V at 2.26A	✓	✓	✓

Connection	Weight	Material			Resistant					IP Rating
		lens	housing	hardware	water	dust	shock	warpage	temperature	
DT 4 way connector	2309g	PC	aluminum	stainless steel	✓	✓	✓	✓	✓	IP69K

LED Auxiliary Driving Lamp

- Glo Trac family design, front position lamp stylish, eye-catching & greater visibility for better safety
- Stabilizer design enhance vibration resistance
- Aluminum alloy housing, ultra weight 2450g only
- High beam headlight (Ref. no 30)




Std pack qty: 5

Part No.	Voltage	5 SMD high power LEDs		High beam	Front position	Current Draw	Connection
		watt	Raw lumen				
22836-B	12~36V	54	4500	✓	✓	13.5V at 3.34A±0.31A 28V at 1.72A ±0.21A	300 mm cable

Weight	IP Rating	Material				Resistant				
		cover	lens	housing	hardware	water	dust	shock	warpage	temperature
2450g	IP69K	PP	PC	aluminum	stainless steel	✓	✓	✓	✓	-30°C~50°C

LED BEACON

- 3rd generation LED technology
- IP67 rated
- 5 built in flash patterns
- Screw mounting with EVA pad



INSTRUCTION:

convert patterns: momentarily apply VDC to yellow wire once

Std pack qty: 20

26904 FLASH PATTERNS




MODE	PATTERN
1	Rotating
2	Full flashing SAE J845 W3-2 class II Approved (Double flashing)
3	Simulated rotating
4	Full flashing (Quad flashing)
5	Full flashing (Consistent flashing)

Part No.	Voltage	LED Color	LEDs	Connection	Mounting	IP Rating
26904CA-V	9~36V	●	12	340mm cable	3-Screw	IP67

Resistant				
water	dust	shock	warpage	temperature
✓	✓	✓	✓	-30°C~50°C

NEW PRODUCT

LED WORK LAMP






Std pack qty: 20

Part No.	Voltage	Flood	9 SMD high power LEDs			Current Draw	Connection	Weight	IP Rating
			watt	lumen	HV CD				
22815-B	12~36V	✓	20	1800	4500	13.5V at 1.5A 28V at 0.73A	280mm cable	685g	IP69K

Material				Resistant				
lens	housing	bracket	hardware	water	dust	shock	warpage	temperature
PC	aluminum	stainless steel	stainless steel	✓	✓	✓	✓	-30°C~50°C

SHOCK RESISTANCE LED WORK LAMP

- Wide flood work lamp with great luminous
- Work lamp meets the expectations of the most requiring working environment
- Virtually unbreakable PC lens with aluminum housing design
resistant to water, dust, vibration and offers increased reliability and service life
- Lamp includes a stainless steel swivel bracket, bolts and washers for easy Installation



Part No.	Voltage	Flood	8 SMD high power LEDs			Current Draw	Connction	Weight	IP Rating
			watt	lumen	HV CD				
22816-1	9~80V	✓	70	4000	5800	13.5V 5A/28V 2.5A	600mm cable	1650g	IP67




Material				Resistant				
lens	housing	bracket	hardware	water	dust	shock	warpage	temperature
PC	aluminum	aluminum	stainless steel	✓	✓	✓	✓	-30°C~50°C

note: 9~36V. available upon request

NEW PRODUCT

LED WORK LAMP

- Compact design suits various applications
- Low power consumption
- Budget version





Std pack qty: 50

Part No.	Voltage	Flood	3 SMD high power LEDs			Current Draw	Connection	Weight	IP Rating
			watt	lumen	HV CD				
22817-B	12~36V	✓	9	600	900	13.5V at 0.68A 28V at 0.33A	280mm cable	173g	IP69K

Material				Resistant				
lens	housing	bracket	hardware	water	dust	shock	warpage	temperature
PC	aluminum	stainless steel	stainless steel	✓	✓	✓	✓	-30°C~50°C

LED Auxiliary Driving Lamp





- High Power 9W LEDs for exceptional performance
- Optimal illumination provides excellent visibility
- Increases driver's safety and comfort with less eye fatigue
- Engineered to withstand extreme vibration, shock, dust, and water immersion
- Perfected heat management for long-lasting performance
- Aluminum alloy housing for ultra-light weight (1640g)
- Suitable for extreme terrain and climate
- Complies with E-mark regulations



Part No.	Voltage	Function		2 SMD high power LEDs			Current Draw	Connection	Weight	IP Rating
		Front position	driving lamp	Watt	Lumen	HV CD				
22829-B	12~36V	✓	✓	16W	1000	130000	13.5V at 1.25A 28V at 0.6A	250mm	1465g	IP69K

Material				Resistant					IP Rating
lens	housing	bracket	hardware	water	dust	shock	warping	temperature	
PC	aluminum	aluminum	stainless steel	✓	✓	✓	✓	✓	IP69K

LED MARKER LAMP



Part No.	Voltage	LED Color	Lens Color	Front	Side	Rear	Side Indicator	Connection	ADR Approved	IP Rating
26277CARK-V	12~24V	● ●	○		✓			150mm cable	✓	IP67
26277AK-V	12~24V	●	●		✓			150mm cable	✓	IP67
26277RK-V	12~24V	●	●			✓		150mm cable	✓	IP67
26277CK-V	12~24V	○	○	✓				150mm cable	✓	IP67
26277CAK-V	12~24V	●	○		✓		✓	150mm cable	✓	IP67
26277CRK-V	12~24V	●	○			✓	✓	150mm cable	✓	IP67