



Our vision, your safety




Scan me!

Lucidity Australia Pty Ltd
37 Paraweena Drive, Truganina, VIC 3029
Tel: +61 3 9219 4074
Email: info@lucidity-au.com
Web: www.lucidityaustralia.com.au



Our vision, your safety

Dolly Kit Catalogue



Contents

Tandem Axle Dolly Tri Axle Dolly



Twin-Jumbo

Tri Dolly, 7 Pin Round Plug, Twin-Jumbo	Page 3
Tri Dolly, Heavy Duty 7 Pin Round Plug, Twin-Jumbo	Page 4
Tandem Dolly, 7 Pin Round Plug, Twin-Jumbo	Page 5
Tandem Dolly, Heavy Duty 7 Pin Round Plug, Twin-Jumbo	Page 6

Triple-Jumbo

Tri Dolly, 7 Pin Round Plug, Triple-Jumbo	Page 7
Tri Dolly, Heavy Duty 7 Pin Round Plug, Triple-Jumbo	Page 8
Tandem Dolly, 7 Pin Round Plug, Triple-Jumbo	Page 9
Tandem Dolly, Heavy Duty 7 Pin Round Plug, Triple-Jumbo	Page 10

22018 Grommet Mount Lucidity Link Series

Tri Dolly, 7 Pin Round Plug, 22018	Page 11
Tri Dolly, Heavy Duty 7 Pin Round Plug, 22018	Page 12
Tandem Dolly, 7 Pin Round Plug, 22018	Page 13
Tandem Dolly, Heavy Duty 7 Pin Round Plug, 22018	Page 14
Tri Dolly, 7 Pin Round Plug, 22018	Page 15
Tri Dolly, Heavy Duty 7 Pin Round Plug, 22018	Page 16
Tandem Dolly, 7 Pin Round Plug, 22018	Page 17
Tandem Dolly, Heavy Duty 7 Pin Round Plug, 22018	Page 18

22551 4" Round Grommet Mount Lucidity Link Series

Tri Dolly, 7 Pin Round Plug, 22551	Page 19
Tri Dolly, Heavy Duty 7 Pin Round Plug, 22551	Page 20
Tandem Dolly, 7 Pin Round Plug, 22551	Page 21
Tandem Dolly, Heavy Duty 7 Pin Round Plug, 22551	Page 22
Tri Dolly, 7 Pin Round Plug, 22551	Page 23
Tandem Dolly, 7 Pin Round Plug, 22551	Page 24
Tri Dolly, Heavy Duty 7 Pin Round Plug, 22551	Page 25
Tandem Dolly, Heavy Duty 7 Pin Round Plug, 22551	Page 26

26022 Rear Combination Lucidity Link Series

Tri Dolly, 7 Pin Round Plug, 26022	Page 27
Tri Dolly, Heavy Duty 7 Pin Round Plug, 26022	Page 28
Tandem Dolly, 7 Pin Round Plug, 26022	Page 29
Tandem Dolly, Heavy Duty 7 Pin Round Plug, 26022	Page 30

3370954 OMP Harness Kit

7 Pin Round Plug	Page 31
------------------	---------

3370955 OMP Harness Kit

7 Pin Heavy Duty Round Plug	Page 32
-----------------------------	---------

Optionals

OMP Harnesses

Dangerous Goods Rated Applications	Page 32
Road Train Applications	Page 33
Non-Road Train Applications	Page 34

OMP Sockets

7 Pin Round Socket	Page 35
7 Pin Round Heavy Duty Socket	Page 36

Suzi-Coils

7 Pin Round Road Train Suzi Coil	Page 37
Pin Heavy Duty Suzi-Coil	Page 37

Reverse Buzzer Kit

3370958	Page 37
---------	---------

LED Marker Lamps

26281 Series	Page 37
--------------	---------

LED License Plate Lamps

26807 Series	Page 37
--------------	---------

LED Rear Lamps

26022 Lucidity Link Series	Page 38
22018 Lucidity Link Series	Page 38
22551 Lucidity Link Series	Page 38



Our Story

Lucidity Australia

Lucidity Australia is a leading lighting and wiring manufacturer based in Melbourne, Victoria. We specialize in tailored engineering solutions for original equipment manufacturers and have serviced the Australian transport industry with our world-class products for more than two decades.

Our focus is on delivering the highest quality products and service to the Australian market. We have a passion for Australian Manufacturing that is why our wiring and harness solutions are designed & manufactured right here in Melbourne, Victoria.

Our complete product range comprises a variety of innovative LED Lights, Incandescent Lights, Reflex Reflectors, Mounting Parts and Electrical Accessories. As an ISO/IATF16949, ISO 14001, OHSAS 18001 and ISO 50001 certified manufacturer, each new product meets the highest quality standard and customer specific requirements of the industry, strictly tested by TUV Nord certified in house test laboratory prior to market release.

We build quality into all aspects of our business and our ultimate goal is to achieve and maintain absolute customer satisfaction to ensure truck drivers, fleet owners and manufacturers keep trucks off the service floor and on the road longer by dramatically cutting installation and replacement times, reducing replacement costs, improving safety, quality and efficiency. Innovation is the wellspring of our consecutive growth.

At Lucidity, innovations means not only new ideas but also putting these ideas into practice. Being a customer of Lucidity Australia, you will experience the opportunity to work with the well-trained, dedicated customer-oriented professionals and the highest level of service all the time.

Our Associations




HEAVY VEHICLE
INDUSTRY AUSTRALIA



AUSTRALIAN AUTOMOTIVE
AFTERMARKET ASSOCIATION



Tri Dolly, 7 Pin Round Plug, Twin- Jumbo




Part List.

SAP Part No.		Description	Qty
1	196408000722	7 Pin Plug w/screw term	1
2	196408076222	OMP-12V Socket	1
3	136224102011	OMP REAR JUNCTION	1
4	3271936	OMP 12V to Weld end @ 4200mm RTCWO	1
5	3271357	OMP 12V-12BV @3600mm RTCWO	1
6	132628162011	26281CK-BV (BK) 9~33V DT 2 WAY LUC	2
7	132628102051	26281CARK-BV2 (BK) 4 WAY LUC LOGO (Amber / Red) [Lucidity Link]	2
8	132628102031	26281CARK-BV (BK)	2
9	3271849	DT06-4S-E008 to DT06-4S-E008/DT06-2S-E008 @3000/200mm	2
10	3271937	HARN 6SE - 6SE @ 6500mm ATRS616020	2
11	132601602081	26016ARP2-DOUBLE JUMBO WHIT DT-CONN	2
12	3170127	26807-BV License Plate light with DT06-4S-E008 (500mm)	2
13	3270532	2 Core DT06-4S-E008 to DT06-2S-E008 @800mm	2
14	3271080	2 Core DT06-4S-E008 to DT04-4P-E008 @1000mm	2
15	19640413913	HEAT SHRINK 39/13 @ 150mm	1

Key	Part No.	Product Image
6	26281CK-BV	
7	26281CARK-BV2	
8	26281CARK-BV	
11	26016 ARP2-BV	

Tri Dolly, Heavy Duty 7 Pin Round Plug, Twin-Jumbo




Part List.

SAP Part No.		Description	Qty
1	196408079915	HD 7 Pin Plug w/screw term	1
2	196408076221	OMP-24V Socket	1
3	136224102011	OMP REAR JUNCTION	1
4	3271936	OMP 12V to Weld end @ 4200mm RTCWO	1
5	3271878	OMP 24VB-12V @2500mm RTCWO	1
6	132628162011	26281CK-BV (BK) 9~33V DT 2 WAY LUC	2
7	132628102051	26281CARK-BV2 (BK) 4 WAY LUC LOGO (Amber / Red) [Lucidity Link]	2
8	132628102031	26281CARK-BV (BK)	2
9	3271849	DT06-4S-E008 to DT06-4S-E008/DT06-2S-E008 @3000/200mm	2
10	3271937	HARN 6SE - 6SE @ 6500mm ATRS616020	2
11	132601602081	26016ARP2-DOUBLE JUMBO WHIT DT-CONN	2
12	3170127	26807-BV License Plate light with DT06-4S-E008 (500mm)	2
13	3270532	2 Core DT06-4S-E008 to DT06-2S-E008 @800mm	2
14	3271080	2 Core DT06-4S-E008 to DT04-4P-E008 @1000mm	2
15	19640413913	HEAT SHRINK 39/13 @ 150mm	1

Key	Part No.	Product Image
6	26281CK-BV	
7	26281CARK-BV2	
8	26281CARK-BV	
11	26016ARP2-BV	



Tandem Dolly, 7 Pin Round Plug, Twin Jumbo




Part List.

SAP Part No.	Description	Qty
1	7 Pin Plug w/screw term	1
2	OMP-12V Socket	1
3	OMP REAR JUNCTION	1
4	OMP 12V-Weld end @3500mm RTCWO	1
5	OMP 12V-12BV @3600mm RTCWO	1
6	26281CK-BV (BK) 9~33V DT 2 WAY LUC	2
7	26281CARK-BV2 (BK) 4 WAY LUC LOGO (Amber / Red) [Lucidity Link]	2
8	26281CARK-BV (BK)	2
9	DT06-4S-E008 to DT06-4S-E008/DT06-2S-E008 @3000/200mm	2
10	HARN 6SE - 6SE @ 5000mm ATRS616020	2
11	26016ARP2-DOUBLE JUMBO WHIT DT-CONN	2
12	26807-BV License Plate light with DT06-4S-E008 (500mm)	2
13	2 Core DT06-4S-E008 to DT06-2S-E008 @800mm	2
14	2 Core DT06-4S-E008 to DT04-4P-E008 @1000mm	2
15	HEAT SHRINK 39/13 @ 150mm	1

Key	Part No.	Product Image
6	26281CK-BV	
7	26281CARK-BV2	
8	26281CARK-BV	
11	26016ARP2-BV	



Tandem Dolly, Heavy Duty 7 Pin Round Plug, Twin-Jumbo




Part List.

SAP Part No.	Description	Qty
1	HD 7 Pin Plug w/screw term	1
2	OMP-24V Socket	1
3	OMP REAR JUNCTION	1
4	OMP 12V-Weld end @3500mm RTCWO	1
5	OMP 24VB-12V @2500mm RTCWO	1
6	26281CK-BV (BK) 9~33V DT 2 WAY LUC LOGO(Clear)	2
7	26281CARK-BV2 (BK) 4 WAY LUC LOGO (Amber / Red) [Lucidity Link]	2
8	26281CARK-BV (BK)	2
9	DT06-4S-E008 to DT06-4S-E008/DT06-2S-E008 @3000/200mm	2
10	HARN 6SE - 6SE @ 5000mm ATRS616020	2
11	26016ARP2-DOUBLE JUMBO WHIT DT-CONN	2
12	26807-BV License Plate light with DT06-4S-E008 (500mm)	2
13	2 Core DT06-4S-E008 to DT06-2S-E008 @800mm	2
14	2 Core DT06-4S-E008 to DT04-4P-E008 @1000mm	2
15	HEAT SHRINK 39/13 @ 150mm	1

Key	Part No.	Product Image
6	26281CK-BV	
7	26281CARK-BV2	
8	26281CARK-BV	
11	26016ARP2-BV	



Tri Dolly, 7 Pin Round Plug, Triple-Jumbo




Part List.

SAP Part No.	Description	Qty	
1	196408000722	7 Pin Plug w/screw term	1
2	196408076222	OMP-12V Socket	1
3	136224102011	OMP REAR JUNCTION	1
4	3271936	OMP 12V to Weld end @ 4200mm RTCWO	1
5	3270324	OMP 12V-12BV @2500mm RTCWO	1
6	132628162011	26281CK-BV (BK) 9~33V DT 2 WAY LUC	2
7	132628102051	26281CARK-BV2 (BK) 4 WAY LUC LOGO (Amber / Red) [Lucidity Link]	2
8	132628102031	26281CARK-BV (BK)	2
9	3271849	DT06-4S-E008 to DT06-4S-E008/DT06-2S-E008 @3000/200mm	2
10	3271937	HARN 6SE - 6SE @ 6500mm ATRS616020	2
11	132600702151	26007ARRP2-BV /Molded Deutsch Connectors	2
12	3170127	26807-BV License Plate light with DT06-4S-E008 (500mm)	2
13	3270532	2 Core DT06-4S-E008 to DT06-2S-E008 @800mm	2
14	3271080	2 Core DT06-4S-E008 to DT04-4P-E008 @1000mm	2
15	19640413913	HEAT SHRINK 39/13 @ 150mm	1

Key	Part No.	Product Image
6	26281CK-BV	
7	26281CARK-BV2	
8	26281CARK-BV	
11	26007ARRP2-BV	



Tri Dolly, Heavy Duty 7 Pin Round Plug, Triple-Jumbo




Part List.

SAP Part No.	Description	Qty	
1	196408079915	HD 7 Pin Plug w/screw term	1
2	196408076221	OMP-24V Socket	1
3	136224102011	OMP REAR JUNCTION	1
4	3271936	OMP 12V to Weld end @ 4200mm RTCWO	1
5	3271878	OMP 24VB-12V @2500mm RTCWO	1
6	132628162011	26281CK-BV (BK) 9~33V DT 2 WAY LUC LOGO(Clear)	2
7	132628102051	26281CARK-BV2 (BK) 4 WAY LUC LOGO (Amber / Red) [Lucidity Link]	2
8	132628102031	26281CARK-BV (BK)	2
9	3271849	DT06-4S-E008 to DT06-4S-E008/DT06-2S-E008 @3000/200mm	2
10	3271937	HARN 6SE - 6SE @ 6500mm ATRS616020	2
11	132600702151	26007ARRP2-BV /Molded Deutsch Connectors	2
12	3170127	26807-BV License Plate light with DT06-4S-E008 (500mm)	2
13	3270532	2 Core DT06-4S-E008 to DT06-2S-E008 @800mm	2
14	3271080	2 Core DT06-4S-E008 to DT04-4P-E008 @1000mm	2
15	19640413913	HEAT SHRINK 39/13 @ 150mm	1

Key	Part No.	Product Image
6	26281CK-BV	
7	26281CARK-BV2	
8	26281CARK-BV	
11	26007ARRP2-BV	



Tandem Dolly, 7 Pin Round Plug, Triple-Jumbo




Part List.

SAP Part No.		Description	Qty
1	196408000722	7 Pin Plug w/screw term	1
2	196408076222	OMP-12V Socket	1
3	136224102011	OMP REAR JUNCTION	1
4	3271024	OMP 12V to Weld end @ 4200mm RTCWO	1
5	3271357	OMP 12V-12BV @3600mm RTCWO	1
6	132628162011	26281CK-BV (BK) 9~33V DT 2 WAY LUC	2
7	132628102051	26281CARK-BV2 (BK) 4 WAY LUC LOGO (Amber / Red) [Lucidity Link]	2
8	132628102031	26281CARK-BV (BK)	2
9	3271849	DT06-4S-E008 to DT06-4S-E008/DT06-2S-E008 @3000/200mm	2
10	3270925	HARN 6SE - 6SE @ 6500mm ATRS616020	2
11	132600702151	26007ARRP2-BV /Molded Deutsch Connectors	2
12	3170127	26807-BV License Plate light with DT06-4S-E008 (500mm)	2
13	3270532	2 Core DT06-4S-E008 to DT06-2S-E008 @800mm	2
14	3271080	2 Core DT06-4S-E008 to DT04-4P-E008 @1000mm	2
15	19640413913	HEAT SHRINK 39/13 @ 150mm	1

Key	Part No.	Product Image
6	26281CK-BV	
7	26281CARK-BV2	
8	26281CARK-BV	
11	26007ARRP2-BV	



Tandem Dolly, Heavy Duty 7 Pin Round Plug Triple -Jumbo



Part List.


	SAP Part No.	Description	Qty
1	196408079915	HD 7 Pin Plug w/screw term	1
2	196408076221	OMP-24V Socket	1
3	136224102011	OMP REAR JUNCTION	1
4	3271024	OMP 12V-Weld end @3500mm RTCWO	1
5	3271878	OMP 24VB-12V @2500mm RTCWO	1
6	132628162011	26281CK-BV (BK) 9~33V DT 2 WAY LUC LOGO(Clear)	2
7	132628102051	26281CARK-BV2 (BK) 4 WAY LUC LOGO (Amber / Red) [Lucidity Link]	2
8	132628102031	26281CARK-BV (BK)	2
9	3271849	DT06-4S-E008 to DT06-4S-E008/DT06-2S-E008 @3000/200mm	2
10	3270925	HARN 6SE - 6SE @ 5000mm ATRS616020	2
11	132600702151	26007ARRP2-BV /Molded Deutsch Connectors	2
12	3170127	26807-BV License Plate light with DT06-4S-E008 (500mm)	2
13	3270532	2 Core DT06-4S-E008 to DT06-2S-E008 @800mm	2
14	3271080	2 Core DT06-4S-E008 to DT04-4P-E008 @1000mm	2
15	19640413913	HEAT SHRINK 39/13 @ 150mm	1

Key	Part No.	Product Image
6	26281CK-BV	
7	26281CARK-BV2	
8	26281CARK-BV	
11	26007ARRP2-BV	





Tri Dolly, 7 Pin Round Plug, 22018 Grommet Mount



Part List.


SAP Part No.	Description	Qty	
1	196408000722	7 Pin Plug w/screw term	1
2	196408076222	OMP-12V Socket	1
3	136224102011	OMP REAR JUNCTION	1
4	3271936	OMP 12V to Weld end @ 4200mm RTCWO	1
5	3271357	OMP 12V-12BV @3600mm RTCWO	1
6	132628162011	26281CK-BV (BK) 9~33V DT 2 WAY LUC LOGO(Clear)	2
7	132628102051	26281CARK-BV2 (BK) 4 WAY LUC LOGO (Amber / Red) [Lucidity Link]	2
8	132628102031	26281CARK-BV (BK)	2
9	3271849	DT06-4S-E008 to DT06-4S-E008/DT06-2S-E008 @3000/200mm	2
10	3272017	Harn 6SE-4SE/6SE @6500-300/300mm	2
11	132201822251	22018WCAK-4V LUCIDITY LINK	4
12	132201812241	22018WCRK-4V LUCIDITY LINK	4
13	132680762121	26807N-2BV LUC Link with DT04-4P-E008 @200mm	2
14	3272019	Harn 6PE to 2SE @200mm	2
15	19640413913	HEAT SHRINK 39/13 @ 150mm	1

DG Available upon request

Key	Part No.	Product Image
6	26281CK-BV	
7	26281CARK-BV2	
8	26281CARK-BV	
11	22018WCAK-4V	
12	22018WCRK-4V	



Tri Dolly, Heavy Duty 7 Pin Round Plug, 22018 Grommet Mount




Part List.

SAP Part No.	Description		Qty
1	196408079915	HD 7 Pin Plug w/screw term	1
2	196408076221	OMP-24V Socket	1
3	136224102011	OMP REAR JUNCTION	1
4	3271936	OMP 12V to Weld end @ 4200mm RTCWO	1
5	3271878	OMP 24VB-12V @2500mm RTCWO	1
6	132628162011	26281CK-BV (BK) 9~33V DT 2 WAY LUC LOGO(Clear)	2
7	132628102051	26281CARK-BV2 (BK) 4 WAY LUC LOGO (Amber / Red) [Lucidity Link]	2
8	132628102031	26281CARK-BV (BK)	2
9	3271849	DT06-4S-E008 to DT06-4S-E008/DT06-2S-E008 @3000/200mm	2
10	3272017	Harn 6SE-4SE/6SE @6500-300/300mm	2
11	132201822251	22018WCAK-4V LUCIDITY LINK	4
12	132201812241	22018WCRK-4V LUCIDITY LINK	4
13	132680762121	26807N-2BV LUC Link with DT04-4P-E008 @200mm	2
14	3272019	Harn 6PE to 2SE @200mm	2
15	19640413913	HEAT SHRINK 39/13 @ 150mm	1

DG Available upon request

Key	Part No.	Product Image
6	26281CK-BV	
7	26281CARK-BV2	
8	26281CARK-BV	
11	22018WCAK-4V	
12	22018WCRK-4V	

Tandem Dolly, 7 Pin Round Plug, 22018 Grommet Mount



Part List.


SAP Part No.	Description	Qty
1	196408000722	7 Pin Plug w/screw term
2	196408076222	OMP-12V Socket
3	136224102011	OMP REAR JUNCTION
4	3271024	OMP 12V-Weld end @3500mm RTCWO
5	3271357	OMP 12V-12BV @3600mm RTCWO
6	132628162011	26281CK-BV (BK) 9~33V DT 2 WAY LUC LOGO(Clear)
7	132628102051	26281CARK-BV2 (BK) 4 WAY LUC LOGO (Amber / Red) [Lucidity Link]
8	132628102031	26281CARK-BV (BK)
9	3271849	DT06-4S-E008 to DT06-4S-E008/DT06-2S-E008 @3000/200mm
10	3272018	Harn 6SE-4SE/6SE @5000-300/300mm
11	132201822251	22018WCAK-4V LUCIDITY LINK
12	132201812241	22018WCRK-4V LUCIDITY LINK
13	132680762121	26807N-2BV LUC Link with DT04-4P-E008 @200mm
14	3272019	Harn 6PE to 2SE @200mm
15	19640413913	HEAT SHRINK 39/13 @ 150mm

DG Available upon request

Key	Part No.	Product Image
6	26281CK-BV	
7	26281CARK-BV2	
8	26281CARK-BV	
11	22018WCAK-4V	
12	22018WCRK-4V	



Tandem Dolly, Heavy Duty 7 Pin Round Plug 22018 Grommet Mount



Part List.


SAP Part No.	Description	Qty
1	196408079915	7 Pin Plug w/screw term
2	196408076221	OMP-24V Socket
3	136224102011	OMP REAR JUNCTION
4	3271024	OMP 12V-Weld end @3500mm RTCWO
5	3271878	OMP 24VB-12V @2500mm RTCWO
6	132628162011	26281CK-BV (BK) 9~33V DT 2 WAY LUC LOGO(Clear)
7	132628102051	26281CARK-BV2 (BK) 4 WAY LUC LOGO (Amber / Red) [Lucidity Link]
8	132628102031	26281CARK-BV (BK)
9	3271849	DT06-4S-E008 to DT06-4S-E008/DT06-2S-E008 @3000/200mm
10	3272018	Harn 6SE-4SE/6SE @5000-300/300mm
11	132201822251	22018WCAK-4V LUCIDITY LINK
12	132201812241	22018WCRK-4V LUCIDITY LINK
13	132680762121	26807N-2BV LUC Link with DT04-4P-E008 @200mm
14	3272019	Harn 6PE to 2SE @200mm
15	19640413913	HEAT SHRINK 39/13 @ 150mm

DG Available upon request

Key	Part No.	Product Image
6	26281CK-BV	
7	26281CARK-BV2	
8	26281CARK-BV	
11	22018WCAK-4V	
12	22018WCRK-4V	



Tri Dolly, 7 Pin Round Plug, 22018 Grommet Mount



Part List.


SAP Part No.	Description	Qty
1	196408000722	7 Pin Plug w/screw term
2	196408076222	OMP-12V Socket
3	136224102011	OMP REAR JUNCTION
4	3271936	OMP 12V to Weld end @ 4200mm RTCWO
5	3271357	OMP 12V-12BV @3600mm RTCWO
6	132628162011	26281CK-BV (BK) 9~33V DT 2 WAY LUC LOGO(Clear)
7	132628102051	26281CARK-BV2 (BK) 4 WAY LUC LOGO (Amber / Red) [Lucidity Link]
8	132628102031	26281CARK-BV (BK)
9	3271849	DT06-4S-E008 to DT06-4S-E008/DT06-2S-E008 @3000/200mm
10	3272017	Harn 6SE-4SE/6SE @6500-300/300mm
11	132201822241	22018WAK-4V LUCIDITY LINK
12	132201812231	22018WRK-4V LUCIDITY LINK
13	132680762121	26807N-2BV LUC Link with DT04-4P-E008 @200mm
14	3272019	Harn 6PE to 2SE @200mm
15	19640413913	HEAT SHRINK 39/13 @ 150mm

DG Available upon request

Key	Part No.	Product Image
6	26281CK-BV	
7	26281CARK-BV2	
8	26281CARK-BV	
11	22018WAK-4V	
12	22018WRK-4V	



Tri Dolly, Heavy Duty 7 Pin Round Plug, 22018 Grommet Mount




Part List.

SAP Part No.	Description	Qty
1	196408079915	HD 7 Pin Plug w/screw term
2	196408076221	OMP-24V Socket
3	136224102011	OMP REAR JUNCTION
4	3271936	OMP 12V to Weld end @ 4200mm RTCWO
5	3271878	OMP 24VB-12V @2500mm RTCWO
6	132628162011	26281CK-BV (BK) 9~33V DT 2 WAY LUC LOGO(Clear)
7	132628102051	26281CARK-BV2 (BK) 4 WAY LUC LOGO (Amber / Red) [Lucidity Link]
8	132628102031	26281CARK-BV (BK)
9	3271849	DT06-4S-E008 to DT06-4S-E008/DT06-2S-E008 @3000/200mm
10	3272017	Harn 6SE-4SE/6SE @6500-300/300mm
11	132201822241	22018WAK-4V LUCIDITY LINK
12	132201812231	22018WRK-4V LUCIDITY LINK
13	132680762121	26807N-2BV LUC Link with DT04-4P-E008 @200mm
14	3272019	Harn 6PE to 2SE @200mm
15	19640413913	HEAT SHRINK 39/13 @ 150mm

DG Available upon request

Key	Part No.	Product Image
6	26281CK-BV	
7	26281CARK-BV2	
8	26281CARK-BV	
11	22018WAK-4V	
12	22018WRK-4V	






SAP Part No.	Description	Qty
1	196408000722 HD 7 Pin Plug w/screw term	1
2	196408076222 OMP-12V Socket	1
3	136224102011 OMP REAR JUNCTION	1
4	3271024 OMP 12V-Weld end @3500mm RTCWO	1
5	3271357 OMP 12V-12BV @3600mm RTCWO	1
6	132628162011 26281CK-BV (BK) 9~33V DT 2 WAY LUC LOGO(Clear)	2
7	132628102051 26281CARK-BV2 (BK) 4 WAY LUC LOGO (Amber / Red) [Lucidity Link]	2
8	132628102031 26281CARK-BV (BK)	2
9	3271849 DT06-4S-E008 to DT06-4S-E008/DT06-2S-E008 @3000/200mm	2
10	3272018 Harn 6SE-4SE/6SE @5000-300/300mm	2
11	132201822241 22018WAK-4V LUCIDITY LINK	4
12	132201812231 22018WRK-4V LUCIDITY LINK	4
13	132680762121 26807N-2BV LUC Link with DT04-4P-E008 @200mm	2
14	3272019 Harn 6PE to 2SE @200mm	2
15	19640413913 HEAT SHRINK 39/13 @ 150mm	1

DG Available upon request

Key	Part No.	Product Image
6	26281CK-BV	
7	26281CARK-BV2	
8	26281CARK-BV	
11	22018WAK-4V	
12	22018WRK-4V	




SAP Part No.	Description	Qty	
1	196408079915	HD 7 Pin Plug w/screw term	1
2	196408076221	OMP-24V Socket	1
3	136224102011	OMP REAR JUNCTION	1
4	3271024	OMP 12V-Weld end @3500mm RTCWO	1
5	3271878	OMP 24VB-12V @2500mm RTCWO	1
6	132628162011	26281CK-BV (BK) 9~33V DT 2 WAY LUC LOGO(Clear)	2
7	132628102051	26281CARK-BV2 (BK) 4 WAY LUC LOGO (Amber / Red) [Lucidity Link]	2
8	132628102031	26281CARK-BV (BK)	2
9	3271849	DT06-4S-E008 to DT06-4S-E008/DT06-2S-E008 @3000/200mm	2
10	3272018	Harn 6SE-4SE/6SE @5000-300/300mm	2
11	132201822241	22018WAK-4V LUCIDITY LINK	4
12	132201812231	22018WRK-4V LUCIDITY LINK	4
13	132680762121	26807N-2BV LUC Link with DT04-4P-E008 @200mm	2
14	3272019	Harn 6PE to 2SE @200mm	2
15	19640413913	HEAT SHRINK 39/13 @ 150mm	1

DG Available upon request

Key	Part No.	Product Image
6	26281CK-BV	
7	26281CARK-BV2	
8	26281CARK-BV	
11	22018WAK-4V	
12	22018WRK-4V	



Tri Dolly, 7 Pin Round Plug, 22551
4" Round Grommet Mount



Part List.


SAP Part No.	Description	Qty
1	196408000722 7 Pin Plug w/screw term	1
2	196408076222 OMP-12V Socket	1
3	136224102011 OMP REAR JUNCTION	1
4	3271936 OMP 12V to Weld end @ 4200mm RTCWO	1
5	3271357 OMP 12V-12BV @3600mm RTCWO	1
6	132628162011 26281CK-BV (BK) 9~33V DT 2 WAY LUC LOGO(Clear)	2
7	132628102051 26281CARK-BV2 (BK) 4 WAY LUC LOGO (Amber / Red) [Lucidity Link]	2
8	132628102031 26281CARK-BV (BK)	2
9	3271849 DT06-4S-E008 to DT06-4S-E008/DT06-2S-E008 @3000/200mm	2
10	3272017 Harn 6SE-4SE/6SE @6500-300/300mm	2
11	132255122191 22551WCAK-1V LUCIDITY LINK	4
12	132255112211 22551WCRK-1V LUCIDITY LINK	4
13	132680762121 26807N-2BV LUC Link with DT04-4P-E008 @200mm	2
14	3272019 Harn 6PE to 2SE @200mm	2
15	19640413913 HEAT SHRINK 39/13 @ 150mm	1

DG Available upon request

Key	Part No.	Product Image
6	26281CK-BV	
7	26281CARK-BV2	
8	26281CARK-BV	
11	22551WCAK-1V	
12	22551WcrK-1V	



Tri Dolly, Heavy Duty 7 Pin Round Plug, 22551
4" Round Grommet Mount



Part List.

SAP Part No.	Description	Qty
1	196408079915 HD 7 Pin Plug w/screw term	1
2	196408076221 OMP-24V Socket	1
3	136224102011 OMP REAR JUNCTION	1
4	3271936 OMP 12V to Weld end @ 4200mm RTCWO	1
5	3271878 OMP 24VB-12V @2500mm RTCWO	1
6	132628162011 26281CK-BV (BK) 9~33V DT 2 WAY LUC LOGO(Clear)	2
7	132628102051 26281CARK-BV2 (BK) 4 WAY LUC LOGO (Amber / Red) [Lucidity Link]	2
8	132628102031 26281CARK-BV (BK)	2
9	3271849 DT06-4S-E008 to DT06-4S-E008/DT06-2S-E008 @3000/200mm	2
10	3272017 Harn 6SE-4SE/6SE @6500-300/300mm	2
11	132255122191 22551WCAK-1V LUCIDITY LINK	4
12	132255112211 22551WCRK-1V LUCIDITY LINK	4
13	132680762121 26807N-2BV LUC Link with DT04-4P-E008 @200mm	2
14	3272019 Harn 6PE to 2SE @200mm	2
15	19640413913 HEAT SHRINK 39/13 @ 150mm	1

DG Available upon request


Key	Part No.	Product Image
6	26281CK-BV	
7	26281CARK-BV2	
8	26281CARK-BV	
11	22551WCAK-1V	
12	22551WCRK-1V	

Tandem Dolly, 7 Pin Round Plug, 22551
4" Round Grommet Mount



SUPPLIED LOOSE
39/13 Heat Shrink
@150 mm

SUPPLIED LOOSE



Part List.

SAP Part No.	Description	Qty
1	196408000722	7 Pin Plug w/screw term
2	196408076222	OMP-12V Socket
3	136224102011	OMP REAR JUNCTION
4	3271024	OMP 12V-Weld end @3500mm RTCWO
5	3271357	OMP 12V-12BV @3600mm RTCWO
6	132628162011	26281CK-BV (BK) 9~33V DT 2 WAY LUC LOGO(Clear)
7	132628102051	26281CARK-BV2 (BK) 4 WAY LUC LOGO (Amber / Red) [Lucidity Link]
8	132628102031	26281CARK-BV (BK)
9	3271849	DT06-4S-E008 to DT06-4S-E008/DT06-2S-E008 @3000/200mm
10	3272018	Harn 6SE-4SE/6SE @5000-300/300mm
11	132255122191	22551WCAK-1V LUCIDITY LINK
12	132255112211	22551WCRK-1V LUCIDITY LINK
13	132680762121	26807N-2BV LUC Link with DT04-4P-E008 @200mm
14	3272019	Harn 6PE to 2SE @200mm
15	19640413913	HEAT SHRINK 39/13 @ 150mm

DG Available upon request


Key	Part No.	Product Image
6	26281CK-BV	
7	26281CARK-BV2	
8	26281CARK-BV	
11	22551WCAK-1V	
12	22551WcrK-1V	

Tandem Dolly, Heavy Duty 7 Pin Round Plug, 22551
4" Round Grommet Mount



SUPPLIED LOOSE
39/13 Heat Shrink
@150 mm

SUPPLIED LOOSE




Part List.

SAP Part No.	Description	Qty
1	196408079915	HD 7 Pin Plug w/screw term
2	196408076221	OMP-24V Socket
3	136224102011	OMP REAR JUNCTION
4	3271024	OMP 12V-Weld end @3500mm RTCWO
5	3271878	OMP 24VB-12V @2500mm RTCWO
6	132628162011	26281CK-BV (BK) 9~33V DT 2 WAY LUC LOGO(Clear)
7	132628102051	26281CARK-BV2 (BK) 4 WAY LUC LOGO (Amber / Red) [Lucidity Link]
8	132628102031	26281CARK-BV (BK)
9	3271849	DT06-4S-E008 to DT06-4S-E008/DT06-2S-E008 @3000/200mm
10	3272018	Harn 6SE-4SE/6SE @5000-300/300mm
11	132255122191	22551WCAK-1V LUCIDITY LINK
12	132255112211	22551WCRK-1V LUCIDITY LINK
13	132680762121	26807N-2BV LUC Link with DT04-4P-E008 @200mm
14	3272019	Harn 6PE to 2SE @200mm
15	19640413913	HEAT SHRINK 39/13 @ 150mm

DG Available upon request

Key	Part No.	Product Image
6	26281CK-BV	
7	26281CARK-BV2	
8	26281CARK-BV	
11	22551WCAK-1V	
12	22551WCRK-1V	

Tri Dolly, 7 Pin Round Plug, 22551
4" Round Grommet Mount



Part List.


SAP Part No.		Description	Qty
1	196408000722	7 Pin Plug w/screw term	1
2	196408076222	OMP-12V Socket	1
3	136224102011	OMP REAR JUNCTION	1
4	3271936	OMP 12V to Weld end @ 4200mm RTCWO	1
5	3271357	OMP 12V-12BV @3600mm RTCWO	1
6	132628162011	26281CK-BV (BK) 9~33V DT 2 WAY LUC LOGO(Clear)	2
7	132628102051	26281CARK-BV2 (BK) 4 WAY LUC LOGO (Amber / Red) [Lucidity Link]	2
8	132628102031	26281CARK-BV (BK)	2
9	3271849	DT06-4S-E008 to DT06-4S-E008/DT06-2S-E008 @3000/200mm	2
10	3272017	Harn 6SE-4SE/6SE @6500-300/300mm	2
11	132255122201	22551WAK-1V LUCIDITY LINK	4
12	132255112221	22551WRK-1V LUCIDITY LINK	4
13	132680762121	26807N-2BV LUC Link with DT04-4P-E008 @200mm	2
14	3272019	Harn 6PE to 2SE @200mm	2
15	19640413913	HEAT SHRINK 39/13 @ 150mm	1

DG Available upon request

Key	Part No.	Product Image
6	26281CK-BV	
7	26281CARK-BV2	
8	26281CARK-BV	
11	22551WAK-1V	
12	22551WRK-1V	



Tri Dolly, Heavy Duty 7 Pin Round Plug, 22551
4" Round Grommet Mount



Part List.

SAP Part No.	Description		Qty
1	196408079915	HD 7 Pin Plug w/screw term	1
2	196408076221	OMP-24V Socket	1
3	136224102011	OMP REAR JUNCTION	1
4	3271936	OMP 12V to Weld end @ 4200mm RTCWO	1
5	3271878	OMP 24VB-12V @2500mm RTCWO	1
6	132628162011	26281CK-BV (BK) 9~33V DT 2 WAY LUC LOGO(Clear)	2
7	132628102051	26281CARK-BV2 (BK) 4 WAY LUC LOGO (Amber / Red) [Lucidity Link]	2
8	132628102031	26281CARK-BV (BK)	2
9	3271849	DT06-4S-E008 to DT06-4S-E008/DT06-2S-E008 @3000/200mm	2
10	3272017	Harn 6SE-4SE/6SE @6500-300/300mm	2
11	132255122201	22551WAK-1V LUCIDITY LINK	4
12	132255112221	22551WRK-1V LUCIDITY LINK	4
13	132680762121	26807N-2BV LUC Link with DT04-4P-E008 @200mm	2
14	3272019	Harn 6PE to 2SE @200mm	2
15	19640413913	HEAT SHRINK 39/13 @ 150mm	1


DG Available upon request

Key	Part No.	Product Image
6	26281CK-BV	
7	26281CARK-BV2	
8	26281CARK-BV	
11	22551WAK-1V	
12	22551WRK-1V	





Tandem Dolly, 7 Pin Round Plug, 22551
4" Round Grommet Mount



Part List.


SAP Part No.	Description	Qty
1	7 Pin Plug w/screw term	1
2	OMP-12V Socket	1
3	OMP REAR JUNCTION	1
4	OMP 12V-Weld end @3500mm RTCWO	1
5	OMP 12V-12BV @3600mm RTCWO	1
6	26281CK-BV (BK) 9~33V DT 2 WAY LUC LOGO(Clear)	2
7	26281CARK-BV2 (BK) 4 WAY LUC LOGO (Amber / Red) [Lucidity Link]	2
8	26281CARK-BV (BK)	2
9	DT06-4S-E008 to DT06-4S-E008/DT06-2S-E008 @3000/200mm	2
10	Harn 6SE-4SE/6SE @5000-300/300mm	2
11	22551WAK-1V LUCIDITY LINK	4
12	22551WRK-1V LUCIDITY LINK	4
13	26807N-2BV LUC Link with DT04-4P-E008 @200mm	2
14	Harn 6PE to 2SE @200mm	2
15	HEAT SHRINK 39/13 @ 150mm	1

DC Available upon request

Key	Part No.	Product Image
6	26281CK-BV	
7	26281CARK-BV2	
8	26281CARK-BV	
11	22551WAK-1V	
12	22551WRK-1V	



Tandem Dolly, Heavy Duty 7 Pin Round Plug, 22551
4" Round Grommet Mount



Part List.

SAP Part No.	Description	Qty
1	HD 7 Pin Plug w/screw term	1
2	OMP-24V Socket	1
3	OMP REAR JUNCTION	1
4	OMP 12V-Weld end @3500mm RTCWO	1
5	OMP 24VB-12V @2500mm RTCWO	1
6	26281CK-BV (BK) 9~33V DT 2 WAY LUC LOGO(Clear)	2
7	26281CARK-BV2 (BK) 4 WAY LUC LOGO (Amber / Red) [Lucidity Link]	2
8	26281CARK-BV (BK)	2
9	DT06-4S-E008 to DT06-4S-E008/DT06-2S-E008 @3000/200mm	2
10	Harn 6SE-4SE/6SE @5000-300/300mm	2
11	22551WAK-1V LUCIDITY LINK	4
12	22551WRK-1V LUCIDITY LINK	4
13	26807N-2BV LUC Link with DT04-4P-E008 @200mm	2
14	Harn 6PE to 2SE @200mm	2
15	HEAT SHRINK 39/13 @ 150mm	1


DC Available upon request

Key	Part No.	Product Image
6	26281CK-BV	
7	26281CARK-BV2	
8	26281CARK-BV	
11	22551WAK-1V	
12	22551WRK-1V	





Tri Dolly, 7 Pin Round Plug, 26022 Combination Light




Part List.

	SAP Part No.	Description	Qty
1	196408000722	7 Pin Plug w/screw term	1
2	196408076222	OMP-12V Socket	1
3	136224102011	OMP REAR JUNCTION	1
4	3271936	OMP 12V to Weld end @ 4200mm RTCWO	1
5	3271357	OMP 12V-12BV @3600mm RTCWO	1
6	132628162011	26281CK-BV (BK) 9~33V DT 2 WAY LUC LOGO(Clear)	2
7	132628102051	26281CARK-BV2 (BK) 4 WAY LUC LOGO (Amber / Red) [Lucidity Link]	2
8	132628102031	26281CARK-BV (BK)	2
9	3271849	DT06-4S-E008 to DT06-4S-E008/DT06-2S-E008 @3000/200mm	2
10	3272017	Harn 6SE-4SE/6SE @6500-300/300mm	2
11	132602202051	26022NCAR-1GV(BL) Lucidity Link	2
12	132680762121	26807N-2BV LUC Link with DT04-4P-E008 @200mm	2
13	3272019	Harn 6PE to 2SE @200mm	2
14	19640413913	HEAT SHRINK 39/13 @ 150mm	1

Key	Part No.	Product Image
6	26281CK-BV	
7	26281CARK-BV2	
8	26281CARK-BV	
11	26022NCAR-1GV	





Tri Dolly, Heavy Duty 7 Pin Round Plug, 26022 Combination Light



Part List.


SAP Part No.	Description	Qty	
1	196408079915	HD 7 Pin Plug w/screw term	1
2	196408076221	OMP-24V Socket	1
3	136224102011	OMP REAR JUNCTION	1
4	3271936	OMP 12V to Weld end @ 4200mm RTCWO	1
5	3271878	OMP 24VB-12V @2500mm RTCWO	1
6	132628162011	26281CK-BV (BK) 9~33V DT 2 WAY LUC LOGO(Clear)	2
7	132628102051	26281CARK-BV2 (BK) 4 WAY LUC LOGO (Amber / Red) [Lucidity Link]	2
8	132628102031	26281CARK-BV (BK)	2
9	3271849	DT06-4S-E008 to DT06-4S-E008/DT06-2S-E008 @3000/200mm	2
10	3272017	Harn 6SE-4SE/6SE @6500-300/300mm	2
11	132602202051	26022NCAR-1GV(BL) Lucidity Link	2
12	132680762121	26807N-2BV LUC Link with DT04-4P-E008 @200mm	2
13	3272019	Harn 6PE to 2SE @200mm	2
14	19640413913	HEAT SHRINK 39/13 @ 150mm	1

Key	Part No.	Product Image
6	26281CK-BV	
7	26281CARK-BV2	
8	26281CARK-BV	
11	26022NCAR-1GV	



SAP Part No.	Description	Qty	
1	196408000722	7 Pin Plug w/screw term	1
2	196408076222	OMP-12V Socket	1
3	136224102011	OMP REAR JUNCTION	1
4	3271024	OMP 12V-Weld end @3500mm RTCWO	1
5	3271357	OMP 12V-12BV @3600mm RTCWO	1
6	132628162011	26281CK-BV (BK) 9~33V DT 2 WAY LUC LOGO(Clear)	2
7	132628102051	26281CARK-BV2 (BK) 4 WAY LUC LOGO (Amber / Red) [Lucidity Link]	2
8	132628102031	26281CARK-BV (BK)	2
9	3271849	DT06-4S-E008 to DT06-4S-E008/DT06-2S-E008 @3000/200mm	2
10	3272018	Harn 6SE-4SE/6SE @5000-300/300mm	2
11	132602202051	26022NCAR-1GV(BL) Lucidity Link with Reverse	2
12	132680762121	26807N-2BV LUC Link with DT04-4P-E008 @200mm	2
13	3272019	Harn 6PE to 2SE @200mm	2
14	19640413913	HEAT SHRINK 39/13 @ 150mm	1

Key	Part No.	Product Image
6	26281CK-BV	
7	26281CARK-BV2	
8	26281CARK-BV	
11	26022NCAR-1GV	




SAP Part No.	Description	Qty	
1	196408079915	HD 7 Pin Plug w/screw term	1
2	196408076221	OMP-24V Socket	1
3	136224102011	OMP REAR JUNCTION	1
4	3271024	OMP 12V-Weld end @3500mm RTCWO	1
5	3271878	OMP 24VB-12V @2500mm RTCWO	1
6	132628162011	26281CK-BV (BK) 9~33V DT 2 WAY LUC LOGO(Clear)	2
7	132628102051	26281CARK-BV2 (BK) 4 WAY LUC LOGO (Amber / Red) [Lucidity Link]	2
8	132628102031	26281CARK-BV (BK)	2
9	3271849	DT06-4S-E008 to DT06-4S-E008/DT06-2S-E008 @3000/200mm	2
10	3272018	Harn 6SE-4SE/6SE @5000-300/300mm	2
11	132602202051	26022NCAR-1GV(BL) Lucidity Link with Reverse	2
12	132680762121	26807N-2BV LUC Link with DT04-4P-E008 @200mm	2
13	3272019	Harn 6PE to 2SE @200mm	2
14	19640413913	HEAT SHRINK 39/13 @ 150mm	1

Key	Part No.	Product Image
6	26281CK-BV	
7	26281CARK-BV2	
8	26281CARK-BV	
11	26022NCAR-1GV	




7 Pin Round Plug with OMP Harness Kit



Part List.

	SAP Part No.	Description	Qty
1	196408000722	7 Pin Plug w/screw term	1
2	3271054	OMP 12V-Cut Square @5000mm RTCWO	1
3	19640413913	HEAT SHRINK 39/13 @ 150mm	1

Heavy Duty 7 Pin Round Plug with OMP Harness Kit



Part List.

	SAP Part No.	Description	Qty
1	196408079915	HD 7 Pin Plug w/screw term	1
2	3271054	OMP 12V-Cut Square @5000mm RTCWO	1
3	19640413913	HEAT SHRINK 39/13 @ 150mm	1

Optional



- IP66 Rated
- Save hours in installation time
- Harness can be adapted to operate multiple sockets front and or rear
- Suitable configurations for Lead, Tag or Road Train Trailer combinations
- Plug and Play System
- Cable Length Customised on Request

Road Train Dangerous Goods Rated Applications OMP Harnesses

OMP 12V						
Part No.	Length	End A	Boot	End B	Boot	Cable Type
3270231	400	OMP-12V	YES	OMP-12V	NO	Dangerous Goods
3271756	400	OMP-12V	NO	OMP-12V	NO	Dangerous Goods
3271757	600	OMP-12V	YES	OMP-12V	NO	Dangerous Goods
3271703	700	OMP-12V	NO	OMP-12V	NO	Dangerous Goods
3270828	800	OMP-12V	YES	OMP-12V	NO	Dangerous Goods
3270254	1200	OMP-12V	YES	OMP-12V	NO	Dangerous Goods
3270866	1500	OMP-12V	NO	OMP-12V	NO	Dangerous Goods
3271052	1500	OMP-12V	YES	OMP-12V	NO	Dangerous Goods
3270867	2000	OMP-12V	YES	OMP-12V	NO	Dangerous Goods
3270324	2500	OMP-12V	YES	OMP-12V	NO	Dangerous Goods
3271681	4000	OMP-12V	NO	OMP-12V	NO	Dangerous Goods
3271053	5200	OMP-12V	NO	OMP-12V	NO	Dangerous Goods
3270870	5500	OMP-12V	NO	OMP-12V	NO	Dangerous Goods
3270444	7600	OMP-12V	NO	OMP-12V	NO	Dangerous Goods
3270648	8000	OMP-12V	YES	OMP-12V	NO	Dangerous Goods
3271147	9000	OMP-12V	NO	OMP-12V	NO	Dangerous Goods
3270303	11000	OMP-12V	YES	OMP-12V	NO	Dangerous Goods
3270448	1100	OMP-12V	NO	OMP-12V	NO	Dangerous Goods
OMP 24V						
3270786	550	OMP-24V	YES	OMP-12V	NO	Dangerous Goods
3271670	650	OMP-24V	YES	OMP-12V	NO	Dangerous Goods
3270829	800	OMP-24V	YES	OMP-12V	NO	Dangerous Goods
3271607	1500	OMP-24V	YES	OMP-12V	NO	Dangerous Goods
3271047	2000	OMP-24VV	YES	OMP-12V	NO	Dangerous Goods
3271651	2800	OMP-24V	YES	OMP-12V	NO	Dangerous Goods
3270628	3600	OMP-24V	YES	OMP-12V	NO	Dangerous Goods



12V Socket Boot Shown



Road Train Applications OMP Harnesses

- IP66 Rated
- Save hours in installation time
- Harness can be adapted to operate multiple sockets front and or rear
- Plug and Play System
- Cable Length Customised on Request



OMP 12V						
Part No.	Length	End A	Boot	End B	Boot	Cable Type
3270738	1700	OMP-12V	YES	OMP-12V	NO	Non-Road Train
3270739	3500	OMP-12V	YES	OMP-12V	NO	Non-Road Train
3270740	6000	OMP-12V	YES	OMP-12V	NO	Non-Road Train
3271369	8000	OMP-12V	NO	OMP-12V	NO	Non-Road Train
3270757	1400	OMP-12V	YES	OMP-12V	NO	Non-Road Train


Non- Road Train Applications OMP Harnesses



Optional

7 Pin Round OMP Socket 196408076222

- ADR Approved for 42/04, 64/00
- IP66 Rated (Wiring Interface)
- Heavy Duty Metal Construction
- 30 Amps per Pole @ 12 Volts
- Saves Time in Future Replacements
- Water Proof Silicone Seal Included
- Only Interchangeable with Lucidity OMP Harnesses
- Accepts 6mm Cables (5.22mm²)
- Acceptable for use in Road Train



Wiring Diagram



Heavy Duty 7 Pin Round OMP Socket 196408076221

- ADR Approved for 42/05, 64/00
- IP66 Rated (Wiring Interface)
- Heavy Duty Metal Construction
- 40 Amps per Pole @ 24 Volts
- Saves Time in Future Replacements
- Water Proof Silicone Seal Included
- Only Interchangeable with Lucidity OMP Harnesses
- Accepts 6mm Cables (5.22mm²)
- Acceptable for use in Road Train



Wiring Diagram



7 Pin Round OMP Plug 196408000722

- ADR Approved for 42/04, 64/00
- IP66 Rated (Wiring Interface)
- Heavy Duty Metal Construction
- 30 Amps per Pole @ 12 Volts
- Saves Time in Future Replacements
- Water Proof Silicone Seal Included
- Only Interchangeable with Lucidity OMP Harnesses
- Accepts 6mm Cables (5.22mm²)
- Acceptable for use in Road Train



Wiring Diagram



Heavy Duty 7 Pin Round Plug 196408079915

- ADR Approved for 42/05, 64/00
- IP66 Rated (Wiring Interface)
- Heavy Duty Metal Construction
- 30 Amps per Pole @ 12 Volts
- Saves Time in Future Replacements
- Water Proof Silicone Seal Included
- Only Interchangeable with Lucidity OMP Harnesses
- Accepts 6mm Cables (5.22mm²)
- Acceptable for use in Road Train



Wiring Diagram



Optional

Optional

7 Pin Round Road Train Suzi-Coil




3271627

7 Pin Round Heavy Duty Suzi-Coil



19631071404

Reverse Buzzer Kit 3370958



Picture Shown for Reference Only



26281 Series LED Marker Lamp



26281



67281B

67281

69281

26807 Series LED License Plate Lamp



26807V



26807BV



26022 Series LED Rear Lamp



26022NCAR-1GV

22018 Series Lucidity Link LED Rear Lamp



22018WAK-4V

22018WRK-4V

22018WCK-4V

22018WCAK-4V

22018WCRK-4V

55018

57018

with Chrome Visor

22551 Series LED Rear Lamp



22551WAK-1V

22551WRK-1V

22551WCK-1V

22551WCAK-1V

22551WCRK-1V

55227

55227

with Chrome Visor

55227

Chrome Cover

Optional



Function Position

1. Park (Brown)
2. Stop (Red)
3. Indicator (Yellow)
4. Reverse (Black)
5. N/C
6. Earth (White)

Function Position

1. Park (Brown)
2. Stop (Red)
3. Indicator (Yellow)
4. Reverse (Black)
5. N/C
6. Earth (White)



Function Position

1. Park (Brown)
2. Stop (Red)
3. Indicator (Yellow)
4. Reverse (Black)
5. N/C
6. Earth (White)

